

平成27年度放射性物質濃度一覧表(排ガス)

単位: Bq/m³(N)

施設名	試料名	採取月		4月		5月		6月		7月		8月		9月		10月		11月		12月		1月		2月		3月						
		採取日	試験項目	測定結果	検出限界濃度	測定結果	検出限界濃度	測定結果	検出限界濃度	測定結果	検出限界濃度	測定結果	検出限界濃度	測定結果	検出限界濃度	測定結果	検出限界濃度	測定結果	検出限界濃度	測定結果	検出限界濃度	測定結果	検出限界濃度	測定結果	検出限界濃度	測定結果	検出限界濃度	測定結果	検出限界濃度			
CC	排ガス(1号炉)	採取日		-		26日		16日		14日		11日		-		13日		10日		8日		-		-		15日						
		粉じん中	放射性ヨウ素	I-131	-	-	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	-	-	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	-	-	-	-	-	-	* 0.1	* 0.1			
			放射性セシウム	Cs-134	-	-	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	-	-	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	-	-	-	-	-	-	* 0.1	* 0.1		
				Cs-137	-	-	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	-	-	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	-	-	-	-	-	-	* 0.1	* 0.1		
		吸収液中	放射性ヨウ素	I-131	-	-	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	-	-	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	-	-	-	-	-	* 0.5	* 0.5		
			放射性セシウム	Cs-134	-	-	* 0.7	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	-	-	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	-	-	-	-	-	* 0.6	* 0.6	
				Cs-137	-	-	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	-	-	* 0.5	* 0.5	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	* 0.6	-	-	-	-	-	* 0.7	* 0.7		
		活性炭中	放射性ヨウ素	I-131	-	-	* 0.2	* 0.3	* 0.3	* 0.3	* 0.3	* 0.2	-	-	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.2	-	-	-	-	-	* 0.2	* 0.2		
			放射性セシウム	Cs-134	-	-	* 0.3	* 0.3	* 0.3	* 0.3	* 0.4	* 0.3	-	-	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	-	-	-	-	-	* 0.3	* 0.3	
				Cs-137	-	-	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	-	-	* 0.3	* 0.4	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.2	-	-	-	-	-	* 0.2	* 0.2		
		合算値	放射性ヨウ素	I-131	-	-	* -	* -	* -	* -	* -	* -	-	-	* -	* -	* -	* -	* -	* -	* -	* -	* -	-	-	-	-	-	* -	* -		
			放射性セシウム	Cs-134	-	-	* -	* -	* -	* -	* -	* -	-	-	* -	* -	* -	* -	* -	* -	* -	* -	* -	* -	-	-	-	-	-	* -	* -	
				Cs-137	-	-	* -	* -	* -	* -	* -	* -	-	-	* -	* -	* -	* -	* -	* -	* -	* -	* -	* -	-	-	-	-	-	* -	* -	
		CC	排ガス(2号炉)	採取日		14日		-		-		-		-		8日		13日		-		-		12日		1日		-				
				粉じん中	放射性ヨウ素	I-131	* 0.1	-	-	-	-	-	-	-	-	-	-	* 0.1	* 0.1	-	-	-	-	-	-	* 0.1	* 0.1	* 0.1	-	-		
					放射性セシウム	Cs-134	* 0.1	-	-	-	-	-	-	-	-	-	-	* 0.1	* 0.1	-	-	-	-	-	-	* 0.1	* 0.1	* 0.1	-	-	-	-
						Cs-137	* 0.1	-	-	-	-	-	-	-	-	-	-	* 0.1	* 0.1	-	-	-	-	-	-	* 0.1	* 0.1	* 0.1	-	-	-	-
				吸収液中	放射性ヨウ素	I-131	* 0.6	-	-	-	-	-	-	-	-	-	-	* 0.7	* 0.6	-	-	-	-	-	-	* 0.6	* 0.6	* 0.7	-	-	-	-
放射性セシウム	Cs-134				* 0.6	-	-	-	-	-	-	-	-	-	-	* 0.8	* 0.7	-	-	-	-	-	-	* 0.9	* 0.7	* 0.7	-	-	-	-		
	Cs-137				* 0.7	-	-	-	-	-	-	-	-	-	-	* 0.7	* 0.9	-	-	-	-	-	-	* 0.6	* 0.8	* 0.8	-	-	-	-		
活性炭中	放射性ヨウ素			I-131	* 0.3	-	-	-	-	-	-	-	-	-	-	* 0.3	* 0.3	-	-	-	-	-	-	* 0.2	* 0.3	* 0.3	-	-	-	-		
	放射性セシウム			Cs-134	* 0.3	-	-	-	-	-	-	-	-	-	-	* 0.4	* 0.4	-	-	-	-	-	-	* 0.3	* 0.3	* 0.3	-	-	-	-		
				Cs-137	* 0.3	-	-	-	-	-	-	-	-	-	-	* 0.4	* 0.3	-	-	-	-	-	-	* 0.3	* 0.4	* 0.4	-	-	-	-		
合算値	放射性ヨウ素			I-131	* -	-	-	-	-	-	-	-	-	-	-	* -	* -	-	-	-	-	-	-	* -	* -	* -	-	-	-	-		
	放射性セシウム			Cs-134	* -	-	-	-	-	-	-	-	-	-	-	* -	* -	-	-	-	-	-	-	* -	* -	* -	-	-	-	-		
				Cs-137	* -	-	-	-	-	-	-	-	-	-	-	* -	* -	-	-	-	-	-	-	* -	* -	* -	-	-	-	-		
WCC	排ガス(1号炉)			採取日		21日		-		23日		21日		-		-		27日		17日		15日		19日		16日		8日				
				粉じん中	放射性ヨウ素	I-131	* 0.1	-	-	* 0.1	* 0.1	* 0.1	* 0.1	-	-	-	-	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	
					放射性セシウム	Cs-134	* 0.1	-	-	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	-	-	-	-	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1
						Cs-137	* 0.1	-	-	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	-	-	-	-	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1
				吸収液中	放射性ヨウ素	I-131	* 0.6	-	-	* 0.5	* 0.7	* 0.7	* 0.7	-	-	-	-	* 0.6	* 0.6	* 0.6	* 0.6	* 0.5	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	
		放射性セシウム	Cs-134		* 0.7	-	-	* 0.9	* 0.9	* 0.9	* 0.9	-	-	-	-	* 0.5	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6		
			Cs-137		* 0.7	-	-	* 0.8	* 0.8	* 0.8	* 0.8	-	-	-	-	* 0.5	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6		
		活性炭中	放射性ヨウ素	I-131	* 0.2	-	-	* 0.2	* 0.3	* 0.3	* 0.3	-	-	-	-	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3			
			放射性セシウム	Cs-134	* 0.3	-	-	* 0.3	* 0.3	* 0.3	* 0.3	-	-	-	-	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3		
				Cs-137	* 0.3	-	-	* 0.2	* 0.3	* 0.3	* 0.3	-	-	-	-	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3		
		合算値	放射性ヨウ素	I-131	* -	-	-	* -	* -	* -	* -	-	-	-	-	* -	* -	-	-	-	-	-	-	* -	* -	* -	-	-	-			
			放射性セシウム	Cs-134	* -	-	-	* -	* -	* -	* -	-	-	-	-	* -	* -	-	-	-	-	-	-	* -	* -	* -	-	-	-			
				Cs-137	* -	-	-	* -	* -	* -	* -	* -	-	-	-	-	* -	* -	-	-	-	-	-	* -	* -	* -	-	-	-	-		
		WCC	排ガス(2号炉)	採取日		-		19日		23日		21日		18日		15日		27日		17日		-		19日		16日		8日				
				粉じん中	放射性ヨウ素	I-131	-	-	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	-	-	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1		
					放射性セシウム	Cs-134	-	-	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	-	-	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	
						Cs-137	-	-	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	-	-	* 0.1	* 0.1	* 0.1	* 0.1	* 0.1	
				吸収液中	放射性ヨウ素	I-131	-	-	* 0.7	* 0.8	* 0.5	* 0.7	* 0.7	* 0.7	* 0.7	* 0.7	* 0.7	* 0.7	* 0.7	* 0.7	* 0.7	* 0.5	* 0.6	-	-	* 0.6	* 0.6	* 0.6	* 0.6	* 0.6		
放射性セシウム	Cs-134				-	-	* 1.0	* 0.7	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	-	-	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8			
	Cs-137				-	-	* 0.6	* 0.8	* 0.7	* 0.8	* 0.7	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8	-	-	* 0.8	* 0.8	* 0.8	* 0.8	* 0.8			
活性炭中	放射性ヨウ素			I-131	-	-	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	-	-	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3				
	放射性セシウム			Cs-134	-	-	* 0.2	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	-	-	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3			
				Cs-137	-	-	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3	-	-	* 0.3	* 0.3	* 0.3	* 0.3	* 0.3			
合算値	放射性ヨウ素			I-131	-	-	* -	* -	* -	* -	* -	* -	* -	* -	* -	* -	* -	* -	* -	* -	* -	-	-	* -	* -	* -	-	-				
	放射性セシウム			Cs-134	-	-	* -	* -	* -	* -	* -	* -	* -	* -	* -	* -	* -	* -	* -	* -	* -	* -	-	-	* -	* -	* -	-	-			
				Cs-137	-	-																										